


GAS COLLECTING TUBE

H-1231

CAPACITY ml	STOPCOCK SIZE mm	GLASS CODE	TEFLON CODE
125	2	-1	-4
250	4	-2	-5
500	4	-3	-6



GAS COLLECTING TUBE

H-1232

SYRINGE PORT IN SIDE OF BODY ALLOWS
SAMPLER TO BE TAKEN BY SYRINGE

CAPACITY ml	STOPCOCK SIZE mm	GLASS CODE	TEFLON CODE
125	2	-1	-4
250	4	-2	-5
500	4	-3	-6




BUBBLER, SMOG, FRITTED

H-1233

24/40 JOINT CONNECTS BOTTLE AND STOPPER,
12/5 SOCKET JOINT ON INLET, 12/5 BALL
JOINT ON OUTLET. TUBE LENGTH BELOW BULB
ON BOTTLE IS APPROXIMATELY 4 INCHES.

ITEM	CODE
BOTTLE	-1
STOPPER	-2
COMPLETE	-3



GAS MANIFOLD

H-1234

STOPCOCKS ARE 2mm.

ONE T-BORE, AND THREE STRAIGHT.





H-1241 GAS DISPERSION TUBE, CYLINDRICAL
TUBE, 8mm O.D. AND APPROXIMATELY 250mm
LONG. FRITTED GLASS CYLINDER BOTTOM.

<u>ITEM</u>	<u>CODE</u>
EXTRA COARSE	-1
COARSE	-2
MEDIUM	-3
FINE	-4

H-1242 GAS DISPERSION TUBE

TUBE, 8mm O.D. AND APPROXIMATELY 250mm
LONG. 30mm FRIT SEALED TO BOTTOM.



<u>ITEM</u>	<u>CODE</u>
EXTRA COARSE	-1
COARSE	-2
MEDIUM	-3
FINE	-4

H-1243 GAS DISPERSION TUBE, TILTED DISC



APPROX. DISC DIAM mm	EXTRA COARSE <u>CODE</u>	COARSE <u>CODE</u>	MEDIUM <u>CODE</u>	FINE <u>CODE</u>
20	-1	-4	-7	-10
30	-2	-5	-8	-11
40	-3	-6	-9	-12


GAS APPARATUS

GAS APPARATUS

GAS APPARATUS

3 BUBBLER, SAFETY
 USE AS BUBBLER COUNTER,
 GAS WASHER OR
 SAFETY PRESSURE RELEASE.

H-1251



GAS WASHING BOTTLE, FRITTED CYLINDER

H-1252

COARSE FRIT.

COMPLETE WITH TOP, BOTTOM AND
 SPRINGS. 29/42 JOINT.

CAPACITY


ml	CODE
----	------

125	-1
-----	----

250	-2
-----	----

500	-3
-----	----

"AVAILABLE WITHOUT FRIT"




GAS WASHING BOTTLE, FRITTED DISC

H-1253

EXTRA COARSE OR COARSE FRIT.

COMPLETE WITH TOP, BOTTOM AND
 SPRINGS. 45/50 JOINT.

CAPACITY ml	FRIT	BOTTLE CODE	STOPPER CODE	COMPLETE CODE
125	X/COARSE	-1	-4	-10
125	COARSE	-1	-5	-11
250	X/COARSE	-2	-6	-12
250	COARSE	-2	-7	-13
500	X/COARSE	-3	-8	-14
500	COARSE	-3	-9	-15




GAUGE

GAUGE

GAUGE


GAUGE



H-1261 GAUGE, TILTING TYPE, MCLEOD

OFFERED IN FOUR RANGES. ACCURATELY MEASURE PRESSURE BETWEEN 1 MICRON AND 15mm. SELECT RANGE THAT BEST FITS YOUR NEEDS.

RANGE mm	SMALLEST READING	COMPLETE CODE	GLASS ONLY CODE	SCALE ONLY CODE
0-1	0.001	-1	-5	-9
0-5	0.005	-2	-6	-10
0-10	0.010	-3	-7	-11
0-15	0.050	-4	-8	-12



H-1262 GAUGE, MANOMETRIC, CLOSED U-TUBE

260mm GRADUATED SCALE IN 1mm DIVISIONS. 130mm ABOVE AND BELOW ZERO. SCALE IS MOVABLE FOR ADJUSTMENT OF ZERO POSITION.

ITEM	CODE
T- TUBE WITH STOPCOCK	-1
U-TUBE	-2
COMPLETE	-3