

FLASK

FLASK


FLASK

FLASK

FLASK, SHORT NECK

H-851

CAPACITY ml	14/35 CODE	19/38 CODE	24/40 CODE	29/42 CODE
50	-1	-4	-8	-18
100	-2	-5	-9	-19
250	-3	-6	-10	-20
500		-7	-11	-21
1000			-12	-22
2000			-13	-23
3000			-14	-24
5000			-15	-25
12000			-16	-26
22000			-17	-27




CAPACITY ml	34/45 CODE	45/50 CODE	55/50 CODE
250	-28		
500	-29	-36	
1000	-30	-37	
2000	-31	-38	
3000	-32	-39	-43
5000	-33	-40	-44
12000	-34	-41	-45
22000	-35	-42	-46

FLASK, LONG NECK

H-852

CAPACITY ml	14/35 CODE	19/38 CODE	24/40 CODE	29/42 CODE
50	-1	-4	-8	-18
100	-2	-5	-9	-19
250	-3	-6	-10	-20
500		-7	-11	-21
1000			-12	-22
2000			-13	-23
3000			-14	-24
5000			-15	-25
12000			-16	-26
22000			-17	-27

CAPACITY ml	34/45 CODE	45/50 CODE	55/50 CODE
250	-28		
500	-29	-36	
1000	-30	-37	
2000	-31	-38	
3000	-32	-39	-43
5000	-33	-40	-44
12000	-34	-41	-45
22000	-35	-42	-46




FLASK

FLASK

FLASK


FLASK



H-861

FLASK, FLAT BOTTOM

CAPACITY ml	24/40 CODE	29/42 CODE	34/45 CODE
50	-1		
100	-2		
250	-3		
500	-4	-7	-10
1000	-5	-8	-11
2000	-6	-9	-12



H-862

FLASK, MORTON STYLE, SINGLE NECK

CAPACITY ml	24/40 CODE	29/42 CODE	34/45 CODE	45/50 CODE
100	-1			
250	-2	-8		
500	-3	-9		
1000	-4	-10	-14	
2000	-5	-11	-15	-18
3000	-6	-12	-16	-19
5000	-7	-13	-17	-20



H-863

FLASK, RECOVERY

MODIFIED SIDES FOR EASY CLEANING

CAPACITY ml	24/25 CODE	24/40 CODE
50	-1	-6
100	-2	-7
250	-3	-8
500	-4	-9
1000	-5	-10

SPECIAL QUOTES UPON REQUEST

HAMMETT SCIENTIFIC GLASS

803/279-6591

FLASK

FLASK


FLASK

FLASK

FLASK, ROUND BOTTOM

H-871


CAPACITY ml	28/15 CODE	35/25 CODE	50/30 CODE	65/40 CODE
50	-1	-6		
100	-2	-7		
250	-3	-8		
500	-4	-9		
1000	-5	-10		
2000		-11	-15	
3000		-12	-16	-20
5000		-13	-17	-21
12000		-14	-18	-22
22000			-19	-23



FLASK, FLAT BOTTOM

H-872

CAPACITY ml	28/15 CODE	35/25 CODE	50/30 CODE
50	-1		
100	-2	-7	
250	-3	-8	
500	-4	-9	
1000	-5	-10	
2000	-6	-11	-14
3000		-12	-15
5000		-13	-16



FLASK


FLASK

FLASK

FLASK

H-881 FLASK, TWO NECK

SIDE NECK VERTICAL TO CENTER.



CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
100	19/38	-1	-19	-37	
100	24/40	-2	-20	-38	
250	19/38	-3	-21	-39	
250	24/40	-4	-22	-40	
250	29/42	-5	-23	-41	
500	19/38	-6	-24	-42	-55
500	24/40	-7	-25	-43	-56
500	29/42	-8	-26	-44	-57
500	34/45	-9	-27	-45	-58
500	45/50	-10	-28	-46	-59
1000	24/40	-11	-29	-47	-60
1000	29/42	-12	-30	-48	-61
1000	34/45	-13	-31	-49	-62
1000	45/50	-14	-32	-50	-63
2000	24/40	-15	-33	-51	-64
2000	29/42	-16	-34	-52	-65
2000	34/45	-17	-35	-53	-66
2000	45/50	-18	-36	-54	-67
CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
3000	24/40	-68	-83		
3000	29/42	-69	-84		
3000	34/45	-70	-85		
3000	45/50	-71	-86		
5000	24/40	-72	-87		
5000	29/42	-73	-88		
5000	34/45	-74	-89		
5000	45/50	-75	-90		
12000	29/42	-76	-91		
12000	34/45	-77	-92		
12000	45/50	-78	-93		
22000	29/42	-79	-94		
22000	34/45	-80	-95	-98	
22000	45/50	-81	-96	-99	-101
22000	55/50	-82	-97	-100	-102

FLASK

FLASK

FLASK


FLASK

FLASK, TWO NECK

H-891

SIDE NECK 20 DEGREES TO CENTER.

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
100	19/38	-1	-19	-37	
100	24/40	-2	-20	-38	
250	19/38	-3	-21	-39	
250	24/40	-4	-22	-40	
250	29/42	-5	-23	-41	
500	19/38	-6	-24	-42	-55
500	24/40	-7	-25	-43	-56
500	29/42	-8	-26	-44	-57
500	34/45	-9	-27	-45	-58
500	45/50	-10	-28	-46	-59
1000	24/40	-11	-29	-47	-60
1000	29/42	-12	-30	-48	-61
1000	34/45	-13	-31	-49	-62
1000	45/50	-14	-32	-50	-63
2000	24/40	-15	-33	-51	-64
2000	29/42	-16	-34	-52	-65
2000	34/45	-17	-35	-53	-66
2000	45/50	-18	-36	-54	-67




CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
3000	24/40	-68	-83		
3000	29/42	-69	-84		
3000	34/45	-70	-85		
3000	45/50	-71	-86		
5000	24/40	-72	-87		
5000	29/42	-73	-88		
5000	34/45	-74	-89		
5000	45/50	-75	-90		
12000	29/42	-76	-91		
12000	34/45	-77	-92		
12000	45/50	-78	-93		
25000	29/42	-79	-94		
25000	34/45	-80	-95	-98	
25000	45/50	-81	-96	-99	-101
25000	55/50	-82	-97	-100	-102

H-901

FLASK, TWO NECK


SIDE NECK IS VERTICAL TO CENTER NECK,



CAPACITY ml	CENTER NECK	SIDE NECK CODE	
		28/15	35/25
100	28/15	-1	
100	35/25	-2	
250	28/15	-3	
250	35/25	-4	
500	28/15	-5	
500	35/25	-6	-22
1000	28/15	-7	-23
1000	35/25	-8	-24
2000	35/25	-9	-25
2000	50/30	-10	-26
3000	35/25	-11	-27
3000	50/30	-12	-28
5000	35/25	-13	-29
5000	50/30	-14	-30
12000	35/25	-15	-31
12000	50/30	-16	-32
12000	65/40	-17	-33
22000	35/25	-18	-34
22000	50/30	-19	-35
22000	65/40	-20	-36
22000	75/50	-21	-37

H-902

FLASK, TWO NECK

SAME AS ABOVE EXCEPT SIDE NECK IS AT
A 20 DEGREE ANGLE TO CENTER NECK.USE THE ABOVE FLASK SIZES AND
CODES WHEN ORDERING THIS FLASK.

FLASK

FLASK

FLASK


FLASK

FLASK, THREE NECK

H-911

SIDE NECKS ARE VERTICAL TO CENTER NECK

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
100	19/38	-1	-20	-39	
100	24/40	-2	-21	-40	
250	24/40	-3	-22	-41	
250	29/42	-4	-23	-42	
500	24/40	-5	-24	-43	
500	29/42	-6	-25	-44	-58
500	34/45	-7	-26	-45	-59
1000	24/40	-8	-27	-46	-60
1000	29/42	-9	-28	-47	-61
1000	34/45	-10	-29	-48	-62
1000	45/50	-11	-30	-49	-63
2000	24/40	-12	-31	-50	-64
2000	29/42	-13	-32	-51	-65
2000	34/45	-14	-33	-52	-66
2000	45/50	-15	-34	-53	-67
3000	24/40	-16	-35	-54	-68
3000	29/42	-17	-36	-55	-69
3000	34/45	-18	-37	-56	-70
3000	45/50	-19	-38	-57	-71



CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
5000	24/40	-72	-88		
5000	29/42	-73	-89		
5000	34/45	-74	-90	-103	
5000	45/50	-75	-91	-104	-116
5000	55/50	-76	-92	-105	-117
12000	24/40	-77	-93	-106	-118
12000	29/42	-78	-94	-107	-119
12000	34/45	-79	-95	-108	-120
12000	45/50	-80	-96	-109	-121
12000	55/50	-81	-97	-110	-122
22000	24/40	-82	-98	-111	-123
22000	29/42	-83	-99	-112	-124
22000	34/45	-84	-100	-113	-125
22000	45/50	-85	-101	-114	-126
22000	55/50	-86	-102	-115	-127

FLASK

FLASK


FLASK

FLASK

H-921 FLASK, THREE NECK

SIDE NECKS ARE 20 DEGREES TO CENTER NECK

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
100	19/38	-1	-20	-39	
100	24/40	-2	-21	-40	
250	24/40	-3	-22	-41	
250	29/42	-4	-23	-42	
500	24/40	-5	-24	-43	
500	29/42	-6	-25	-44	-58
500	34/45	-7	-26	-45	-59
1000	24/40	-8	-27	-46	-60
1000	29/42	-9	-28	-47	-61
1000	34/45	-10	-29	-48	-62
1000	45/50	-11	-30	-49	-63
2000	24/40	-12	-31	-50	-64
2000	29/42	-13	-32	-51	-65
2000	34/45	-14	-33	-52	-66
2000	45/50	-15	-34	-53	-67
3000	24/40	-16	-35	-54	-68
3000	29/42	-17	-36	-55	-69
3000	34/45	-18	-37	-56	-70
3000	45/50	-19	-38	-57	-71



CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		10/30	19/38	24/40	29/42
5000	24/40	-72	-88		
5000	29/42	-73	-89		
5000	34/45	-74	-90	-103	
5000	45/50	-75	-91	-104	-116
5000	55/50	-76	-92	-105	-117
12000	24/40	-77	-93	-106	-118
12000	29/42	-78	-94	-107	-119
12000	34/45	-79	-95	-108	-120
12000	45/50	-80	-96	-109	-121
12000	55/50	-81	-97	-110	-122
22000	24/40	-82	-98	-111	-123
22000	29/42	-83	-99	-112	-124
22000	34/45	-84	-100	-113	-125
22000	45/50	-85	-101	-114	-126
22000	55/50	-86	-102	-115	-127

FLASK

FLASK

FLASK


FLASK

FLASK, THREE NECK

H-931


SIDE NECKS ARE VERTICAL TO THE CENTER NECK

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		28/15	35/25	50/30	65/40
100	28/15	-1			
100	35/25	-2	-16		
250	28/15	-3			
250	35/25	-4	-17		
500	28/15	-5			
500	35/25	-6	-18		
1000	28/15	-7			
1000	35/25	-8	-19		
2000	35/25	-9	-20		
2000	50/30	-10	-21		
3000	35/25	-11	-22		
3000	50/30	-12	-23		
5000	35/25	-13	-24		
5000	50/30	-14	-25		
12000	35/25	-15	-26		
12000	50/30		-27		
12000	65/40		-28		
22000	35/25		-29		
22000	50/30		-30	-32	
22000	65/40		-31	-33	-34



FLASK, THREE NECK

H-932

SAME AS ABOVE EXCEPT SIDE NECKS
ARE 20 DEGREES TO THE CENTER NECK.USE THE ABOVE FLASK SIZES AND
CODES WHEN ORDERING THIS FLASK.

FLASK


FLASK

FLASK

FLASK

H-941 FLASK

SIDE INLET TUBE, SHORT NECK, ROUND BOTTOM, STANDARD TAPER.



CAPACITY ml	19/38 CODE	24/40 CODE	29/42 CODE	45/50 CODE
50	-1	-6		
100	-2	-7		
125	-3	-8		
200	-4	-9	-15	
250	-5	-10	-16	
300		-11	-17	
500		-12	-18	
1000		-13	-19	
2000		-14	-20	
3000			-21	-23
5000			-22	-24

H-942 FLASK

SIDE INLET TUBE, SHORT NECK, ROUND BOTTOM, SOCKET JOINT.



CAPACITY ml	28/15 CODE	35/25 CODE
50	-1	-8
100	-2	-9
125	-3	-10
200	-4	-11
250	-5	-12
300	-6	-13
500	-7	-14
1000		-15
2000		-16
3000		-17

HAMMETT SCIENTIFIC GLASS

825 EDGEFIELD ROAD, BELEVEDERE, SC 29841

FLASK

FLASK


FLASK

FLASK

FLASK, THERMOMETER WELL

H-951


CAPACITY ml	JOINT SIZE CODES				
	19/38	24/40	29/42	34/45	45/50
50	-1	-5	-14		
100	-2	-6	-15		
250	-3	-7	-16		
500	-4	-8	-17		
1000		-9	-18		
2000		-10	-19	-23	
3000		-11	-20	-24	-27
5000		-12	-21	-25	-28
12000		-13	-22	-26	-29



FLASK, TWO NECK, THERMOMETER WELL

H-952

CAPACITY ml	CENTER NECK	SIDE NECK CODES				
		19/38	24/40	29/42	34/45	45/50
100	19/38	-1				
100	24/40	-2	-27			
250	19/38	-3				
250	24/40	-4	-28			
500	19/38	-5				
500	24/40	-6	-29			
500	29/42	-7	-30	-50		
500	34/45	-8	-31	-51		
500	45/50	-9	-32	-52		
1000	24/40	-10	-33			
1000	29/42	-11	-34	-53		
1000	34/45	-12	-35	-54		
1000	45/50	-13	-36	-55		
2000	24/40	-14	-37			
2000	29/42	-15	-38	-56		
2000	34/45	-16	-39	-57		
2000	45/50	-17	-40	-58		
3000	24/40	-18	-41			
3000	29/42	-19	-42	-59		
3000	34/45	-20	-43	-60		
3000	45/50	-21	-44	-61		
5000	24/40	-22	-45			
5000	29/42	-23	-46	-62		
5000	34/45	-24	-47	-63		
5000	45/50	-25	-48	-64		
5000	55/50	-26	-49	-65		




FLASK

FLASK

FLASK

FLASK



H-961


FLASK, THERMOMETER WELL

CAPACITY ml	JOINT SIZE CODES			
	28/15	35/25	50/30	64/40
50	-1	-6		
100	-2	-7		
250	-3	-8		
500	-4	-9		
1000	-5	-10		
2000		-11		
3000		-12	-15	
5000		-13	-16	-18
12000		-14	-17	-19

H-962

FLASK, TWO NECK, THERMOMETER WELL

SIDE NECK AND THERMOMETER WELL ARE
180 DEGREES APART.




CAPACITY ml	CENTER NECK	SIDE NECK	
		28/15	35/25
100	28/15	-1	
100	35/25	-2	
250	28/15	-3	
250	35/25	-4	
500	28/15	-5	
500	35/25	-6	-18
1000	35/25	-7	-19
1000	50/30	-8	-20
2000	35/25	-9	-21
2000	50/30	-10	-22
3000	35/25	-11	-23
3000	50/30	-12	-24
5000	35/25	-13	-25
5000	50/30	-14	-26
12000	35/25	-15	-27
12000	50/30	-16	-28
12000	65/40	-17	-29
22000	50/30		-30
20000	65/40		-31
22000	75/50		-32

FLASK, FOUR NECK

H-971

TWO LARGE SIDE NECKS ARE 180 DEGREES APART.
THIRD SIDE NECK HAS 10/30 JOINT FOR GAS
INLET TUBE, THERMOMETER, OR BLEED TUBE AND
IS 90 DEGREES FROM THE LARGE SIDE NECKS.

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
500	24/40	-1			
500	29/42	-2	-30		
500	34/45	-3	-31		
1000	24/40	-4			
1000	29/42	-5	-32		
1000	34/45	-6	-33		
1000	45/50	-7	-34		
2000	24/40	-8			
2000	29/42	-9	-35		
2000	34/45	-10	-36		
2000	45/50	-11	-37		
3000	24/40	-12			
3000	29/42	-13	-38		
3000	34/45	-14	-39		
3000	45/50	-15	-40		
5000	24/40	-16			
5000	29/42	-17	-41		
5000	34/45	-18	-42		
5000	45/50	-19	-43		
5000	55/50	-20	-44		
12000	29/42	-21	-45		
12000	34/45	-22	-46	-54	
12000	45/50	-23	-47	-55	-62
12000	55/50	-24	-48	-56	-63
12000	71/60	-25	-49	-57	-64
22000	34/45	-26	-50	-58	-65
22000	45/50	-27	-51	-59	-66
22000	55/50	-28	-52	-60	-67
22000	71/60	-29	-53	-61	-68



SPECIAL QUOTES AVAILABLE UPON REQUEST

FLASK

FLASK


FLASK

FLASK

H-981 FLASK, FOUR NECK

SIDE NECKS AT 90 DEGREES AND VERTICAL.

CAPACITY ml	CENTER NECK	SIDE NECK CODES		
		19/38	24/40	29/42
250	24/40	-1	-21	
250	29/42	-2	-22	-41
250	34/45	-3	-23	-42
250	45/50	-4	-24	-43
500	24/40	-5	-25	
500	29/42	-6	-26	-44
500	34/45	-7	-27	-45
500	45/50	-8	-28	-46
1000	24/40	-9	-29	
1000	29/42	-10	-30	-47
1000	34/45	-11	-31	-48
1000	45/50	-12	-32	-49
2000	24/40	-13	-33	
2000	29/42	-14	-34	-50
2000	34/45	-15	-35	-51
2000	45/50	-16	-36	-52
3000	24/40	-17	-37	
3000	29/42	-18	-38	-53
3000	34/45	-19	-39	-54
3000	45/50	-20	-40	-55



CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
5000	24/40	-56			
5000	29/42	-57	-70		
5000	34/45	-58	-71	-84	
5000	45/50	-59	-72	-85	
5000	55/50	-60	-73	-86	
12000	29/42	-61	-74		
12000	34/45	-62	-75	-87	
12000	45/50	-63	-76	-88	
12000	55/50	-64	-77	-89	
12000	71/60	-65	-78	-90	
22000	34/45	-66	-80	-91	
22000	45/50	-67	-81	-92	-95
22000	55/50	-68	-82	-93	-96
22000	71/60	-69	-83	-94	-97

FLASK

FLASK

FLASK


FLASK

FLASK, FOUR NECK

H-991

SIDE NECKS AT 20 DEGREE ANGLE TO THE CENTER NECK.

CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		19/38	24/40	29/42	34/45
250	24/40	-1	-21		
250	29/42	-2	-22	-46	
250	34/45	-3	-23	-47	
250	45/50	-4	-24	-48	
500	24/40	-5	-25		
500	29/42	-6	-26	-49	
500	34/45	-7	-27	-50	
500	45/50	-8	-28	-51	
1000	24/40	-9	-29		
1000	29/42	-10	-30	-52	
1000	34/45	-11	-31	-53	
1000	45/50	-12	-32	-54	
2000	24/40	-13	-33		
2000	29/42	-14	-34	-55	
2000	34/45	-15	-35	-56	
2000	45/50	-16	-36	-57	
3000	24/40	-17	-37		
3000	29/42	-18	-38	-58	
3000	34/45	-19	-39	-59	
3000	45/50	-20	-40	-60	
5000	24/40		-41		
5000	29/42		-42	-61	
5000	34/45		-43	-62	-65
5000	45/50		-44	-63	-66
5000	55/50		-45	-64	-67



CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
12000	29/42	-68	-77		
12000	34/45	-69	-78	-86	
12000	45/50	-70	-79	-87	
12000	55/50	-71	-80	-88	
12000	71/60	-72	-81	-89	
22000	34/45	-73	-82	-90	
22000	45/50	-74	-83	-91	-94
22000	55/50	-75	-84	-92	-95
22000	71/60	-76	-85	-93	-96

FLASK


FLASK

FLASK

FLASK

H-1001 FLASK, FIVE NECK.

FOUR SIDE NECKS ARE AT 90 DEGREES.




CAPACITY ml	CENTER NECK	SIDE NECK CODES			
		24/40	29/42	34/45	45/50
500	24/40	-1			
500	29/42	-2			
500	34/45	-3			
500	45/50	-4			
1000	24/40	-5			
1000	29/42	-6	-31		
1000	34/45	-7	-32		
1000	45/50	-8	-33		
2000	24/40	-9			
2000	29/42	-10	-34		
2000	34/45	-11	-35		
2000	45/50	-12	-36		
3000	24/40	-13			
3000	29/42	-14	-37		
3000	34/45	-15	-38		
3000	45/50	-16	-39	-53	
5000	24/40	-17			
5000	29/42	-18	-40		
5000	34/45	-19	-41		
5000	45/50	-20	-42	-54	
5000	55/50	-21	-43	-55	
12000	29/42	-22	-44		
12000	34/45	-23	-45	-56	
12000	45/50	-24	-46	-57	
12000	55/50	-25	-47	-58	
12000	71/60	-26	-48	-59	
22000	34/45	-27	-49	-60	
22000	45/50	-28	-50	-61	-64
22000	55/50	-29	-51	-62	-65
22000	71/60	-30	-52	-63	-66

FLASK, MORTON STYLE, THREE NECK

H-1011

FOUR INDENTIONS FOR BETTER AGITATION.

CAPACITY ml	CENTER NECK	SIDE NECK CODES	
		<u>24/40</u>	<u>29/42</u>
500	24/40	-1	-25
500	29/42	-2	-26
1000	24/40	-3	-27
1000	29/42	-4	-28
1000	34/45	-5	-29
1000	45/50	-6	-30
2000	24/40	-7	-31
2000	29/42	-8	-32
2000	34/45	-9	-33
2000	45/50	-10	-34
3000	24/40	-11	-35
3000	29/42	-12	-36
3000	34/45	-13	-37
3000	45/50	-14	-38
5000	24/40	-15	-39
5000	29/42	-16	-40
5000	34/45	-17	-41
5000	45/50	-18	-42
5000	55/50	-19	-43
12000	24/40	-20	-44
12000	29/42	-21	-45
12000	34/45	-22	-46
12000	45/50	-23	-47
12000	55/50	-24	-48




FLASK, MORTON STYLE, THREE NECK

H-1012

SAME AS ABOVE EXCEPT SIDE NECKS ARE AT A 20 DEGREE ANGLE.


WHEN ORDERING THIS FLASK

USE THE ABOVE CODES



H-1021 FLASK, MORTON STYLE, FOUR NECK

FOUR INDENTIONS FOR BETTER AGITATION.
TWO LARGE SIDE NECKS AT 180 DEGREES
APART. THIRD NECK HAS A 10/30 JOINT FOR
THERMOMETER, GAS INLET OR BLEED TUBE AND
IS AT 90 DEGREES FROM THE LARGE SIDE
NECKS. ALL NECKS VERTICAL.



CAPACITY ml	CENTER NECK	SIDE NECK CODES	
		24/40	29/42
500	24/40	-1	
500	29/42	-2	-22
500	34/45	-3	-23
1000	24/40	-4	
1000	29/42	-5	-24
1000	34/45	-6	-25
1000	45/50	-7	-26
2000	24/40	-8	
2000	29/42	-9	-27
2000	34/45	-10	-28
2000	45/50	-11	-29
3000	24/40	-12	
3000	29/42	-13	-30
3000	34/45	-14	-31
3000	45/50	-15	-32
5000	24/40	-16	
5000	29/42	-17	-33
5000	34/45	-18	-34
5000	45/50	-19	-35
12000	34/45	-20	-36
12000	45/50	-21	-37

FLASK

FLASK

FLASK


FLASK

FLASK, MORTON STYLE, FOUR NECK

H-1031

FOUR INDENTIONS FOR BETTER AGITATION.
SIDE NECKS ARE VERTICAL AND 90 DEGREES
APART.

CAPACITY ml	CENTER NECK	SIDE NECK CODES	
		24/40	29/42
500	24/40	-1	
500	29/42	-2	-22
500	34/45	-3	-23
1000	24/40	-4	
1000	29/42	-5	-24
1000	34/45	-6	-25
1000	45/50	-7	-26
2000	24/40	-8	
2000	29/42	-9	-27
2000	34/45	-10	-28
2000	45/50	-11	-29
3000	24/40	-12	
3000	29/42	-13	-30
3000	34/45	-14	-31
3000	45/50	-15	-32
5000	24/40	-16	
5000	29/42	-17	-33
5000	34/45	-18	-34
5000	45/50	-19	-35
12000	34/45	-20	-36
12000	45/50	-21	-37



FLASK, SEPARATORY FUNNEL TYPE.

H-1032

THREE NECKS WITH STOPCOCK OUTLET.
STOPCOCK HAS BORE OF 4mm. SIDE NECKS
OF THE 500ml SIZE ARE ANGLED, UNLESS
SPECIFIED STRAIGHT WHEN ORDERING.
SIDE NECKS HAVE 24/40 JOINTS.

CAPACITY ml	CENTER NECK	GLASS	TEFLON
		CODE	CODE
500	24/40	-1	-6
1000	29/42	-2	-7
2000	29/42	-3	-8
3000	29/42	-4	-9
5000	45/50	-5	-10



FLASK

FLASK

FLASK

FLASK


H-1041 ADAPTER, THERMOMETER WELL
S/T OF BALL JOINT.



JOINT	CODE
14/35	-1
19/38	-2
24/40	-3
29/42	-4
28/15	-5
35/25	-6

H-1042 FLASK, JACKETED WITH THREE NECKS

SIDE NECKS OF THE 500ml SIZE ARE ANGLED,
UNLESS SPECIFIED STRAIGHT WHEN ORDERING.
SIDE NECKS HAVE 24/40 JOINTS.




CAPACITY ml	CENTER NECK	CODE
500	24/40	-1
1000	29/42	-2
2000	29/42	-3
3000	29/42	-4
5000	45/50	-5

H-1043 FLASK, ERLLENMEYER

CAPACITY
ml

CAPACITY ml	JOINT CODES					
	14/35	19/38	24/40	29/42	34/45	45/50
50	-1	-4	-8	-16		
125	-2	-5	-9	-17		
200	-3	-6	-10	-18		
250		-7	-11	-19		
300			-12	-20		
500			-13	-21		
1000			-14	-22	-24	-26
2000			-15	-23	-25	-27



FLASK

FLASK


FLASK

FLASK

FLASK, ERLLENMEYER, SOCKET JOINT

H-1051

CAPACITY ml	28/25 CODE	35/25 CODE
50	-1	
125	-2	-4
200	-3	-5
250		-6
300		-7
500		-8
1000		-9
2000		-10



FLASK, ERLLENMEYER, STANDARD TAPER

H-1052

CAPACITY ml	24/40 CODE	29/42 CODE
50	-1	-8
125	-2	-9
200	-3	-10
250	-4	-11
300	-5	-12
500	-6	-13
1000	-7	-14



FLASK, FILTER, HEAVY WALL

H-1053

CAPACITY ml	24/40 CODE	29/42 CODE	34/45 CODE
250	-1		
500	-2	-4	-7
1000	-3	-5	-8
2000		-6	-9



FLASK

FLASK

FLASK

FLASK



H-1061 FLASK, IODINE WITH POURSPOUT

24/40 STOPPER SIZE

CAPACITY ml	FLASK CODE	STOPPER CODE	COMPLETE CODE
125	-1	-6	-11
250	-2	-7	-12
300	-3	-8	-13
500	-4	-9	-14
1000	-5	-10	-15

H-1062 FLASK, ERLLENMEYER


PENNYHEAD STOPPER



CAPACITY ml	STOPPER SIZE	FLASK CODE	STOPPER CODE	COMPLETE CODE
10	9	-1	-9	-17
25	16	-2	-10	-18
50	19	-3	-11	-19
125	22	-4	-12	-20
250	27	-5	-13	-21
300	27	-6	-14	-22
500	32	-7	-15	-23
1000	32	-8	-16	-24

H-1063 FLASK, FILTERING, HEAVY WALL

NECK TOOLED FOR RUBBER STOPPER



CAPACITY ml	FOR RUBBER STOPPER #	CODE
25	3	-1
50	4	-2
125	5	-3
250	6	-4
500	7	-5
1000	8	-6
2000	9	-7
4000	12	-8


FLASK FLASK FLASK FLASK

FLASK, FILTER, HEAVY WALL

H-1071

HOSE CONNECTION FOR VACUUM LINE.


CAPACITY ml	24/40 CODE	29/42 CODE	34/45 CODE
125	-1	-5	-10
250	-2	-6	-11
500	-3	-7	-12
1000	-4	-8	-13
2000		-9	-14



FLASK, FILTER, HEAVY WALL, WITH STOPCOCK

H-1072

CAPACITY ml	STOPCOCK SIZE	24/40 CODE	29/42 CODE	34/45 CODE
250	2	-1	-5	-9
500	2	-2	-6	-10
1000	4	-3	-7	-11
2000	4	-4	-8	-12



FLASK, KJELDAHL

H-1073


CAPACITY ml	CODE
100	-1
300	-2
500	-3
650	-4
800	-5



FLASK, KJELDAHL

H-1074

CAPACITY ml	24/40 CODE	29/42 CODE	34/45 CODE
100	-1		
300	-2	-6	
500	-3	-7	-10
650	-4	-8	-11
800	-5	-9	-12




FLASK

FLASK

FLASK

FLASK



H-1081


FLASK, REACTION CYLINDRICAL

4 INCH I.D. FLANGE.
ACCEPTS COVER TO PREVENT LEAKAGE.

CAPACITY ml	APPROXIMATE HEIGHT mm	CODE
500	110	-1
1000	175	-2
1500	240	-3
2000	285	-4
3000	400	-5

H-1082

FLASK, REACTION CYLINDRICAL, MORTON STYLE




INDENTIONS FOR BETTER MIXTURE
WHEN STIRRING

CAPACITY ml	APPROXIMATE HEIGHT mm	CODE
500	110	-1
1000	175	-2
1500	240	-3
2000	285	-4
3000	400	-5

H-1083

FLASK, REACTION, CYLINDRICAL, JACKETED

HOSE CONNECTION FOR HEATING AND COOLING.




CAPACITY ml	APPROX. INSIDE HEIGHT mm	CODE
500	110	-1
1000	175	-2
1500	240	-3
2000	285	-4
3000	400	-5

FLASK, REACTION CYLINDRICAL

H-1091

28/15 BALL JOINT BOTTOM
USE WITH ADAPTER AT BOTTOM OF PAGE.

CAPACITY ml	APPROXIMATE HEIGHT mm	CODE
500	110	-1
1000	175	-2
1500	240	-3
2000	285	-4
3000	400	-5




FLASK, REACTION, CYLINDRICAL, JACKETED

H-1092

HOSE CONNECTION FOR HEATING AND COOLING.
USE WITH ADAPTER AT BOTTOM OF PAGE.

CAPACITY ml	APPROX. INSIDE HEIGHT mm	CODE
500	110	-1
1000	175	-2
1500	240	-3
2000	285	-4
3000	400	-5




ADAPTER, TAKE OFF, REACTION FLASK

H-1093

28/15 SOCKET JOINT.
4 AND 6 mm BORE TEFLON STOPCOCK.
USE WITH FLASK ON THIS PAGE.

SIZE	CODE
4	-1
6	-2




FLASK

FLASK

FLASK


FLASK



H-1101 FLASK, REACTION SPHERICAL

FLANGE HAS FOUR INCH I.D.
GROUND TO ACCEPT COVER AND PREVENT
LEAKAGE.


CAPACITY ml	CODE
2000	-1
3000	-2
5000	-3
12000	-4
22000	-5
50000	-6
72000	-7



H-1102 FLASK, REACTION SPHERICAL

FLANGE HAS FOUR INCH I.D.
GROUND TO ACCEPT COVER AND PREVENT
LEAKAGE. MORTON INDENTIONS FOR BETTER
MIXTURE WHEN STIRRING.

CAPACITY ml	CODE
2000	-1
3000	-2
5000	-3
12000	-4
22000	-5



H-1103 FLASK, REACTION, SPHERICAL

28/15 BALL JOINT AT BOTTOM.
ADAPTER H-1093 IS USED WITH THIS FLASK.

CAPACITY ml	CODE
2000	-1
3000	-2
5000	-3
12000	-4
22000	-5

FLASK

FLASK

FLASK

FLASK


FLASK, REACTION, SPHERICAL, JACKETED

H-1111

HOSE CONNECTION FOR HEATING AND COOLING

CAPACITY

ml	CODE
2000	-1
3000	-2
5000	-3




FLASK, REACTION, SPHERICAL, JACKETED

H-1112

HOSE CONNECTION FOR HEATING AND COOLING
28/15 BALL JOINT FOR TAKE OFF.

CAPACITY

ml	CODE
2000	-1
3000	-2
5000	-3



CLAMP, REACTION

H-1113

FOR USE WITH ANY REACTION FLASKS HAVING 4" I.D. CLAMP IS CONSTRUCTED SO THAT TOP MAY BE SEPARATED AT ANY TIME WITHOUT BOTHERING THE BOTTOM PORTION OF CLAMP AND REACTION SETUP. EXTENSION BAR FOR CLAMPING TO RING STAND OR OTHER SUPPORT AND LINERS FOR CLAMP INCLUDED.




COVER, REACTION FLASK, THREE NECK

H-1114

4" FLANGE, OUTER JOINTS 180 DEGREES APART.

CENTER NECK JOINT	SIDE NECKS JOINT	CODE
24/40	24/40	-1
29/42	24/40	-2
29/42	29/42	-3



OTHER JOINT COMBINATIONS AVAILABLE UPON REQUEST


FLASK

FLASK

FLASK

FLASK


H-1121 COVER, REACTION FLASK, FOUR NECK
4" FLANGE, OUTER JOINTS 90 DEGREES APART.



CENTER NECK JOINT	SIDE NECKS JOINT	CODE
24/40	24/40	-1
29/42	24/40	-2
29/42	29/42	-3

OTHER JOINT COMBINATIONS AVAILABLE UPON REQUEST


H-1122 COVER, REACTION FLASK, FOUR NECK
4" FLANGE, OUTER JOINTS 90 DEGREES APART.
ONE JOINT IS 10/30 FOR THERMOMETER.



CENTER NECK JOINT	SIDE NECKS JOINT	CODE
24/40	24/40	-1
29/42	24/40	-2
29/42	29/42	-3


OTHER JOINT COMBINATIONS AVAILABLE UPON REQUEST

H-1123 COVER, REACTION FLASK, THREE NECK
4" FLANGE, OUTER JOINTS 180 DEGREES
APART. WITH SOCKET JOINTS.



CENTER NECK JOINT	SIDE NECKS JOINT	CODE
35/25	35/25	-1

H-1124 COVER, REACTION FLASK, FOUR NECK
4" FLANGE, OUTER JOINTS 90 DEGREES APART.
WITH SOCKET JOINTS.



CENTER NECK JOINT	SIDE NECKS JOINT	CODE
35/25	35/25	-1

FLASK

FLASK


FLASK

FLASK

COVER, REACTION FLASK, FOUR NECK

H-1131

4" FLANGE, OUTER JOINTS 90 DEGREES
APART. WITH SOCKET JOINTS.
10/30 JOINT FOR THERMOMETER.




CENTER NECK JOINT	SIDE NECKS JOINT	CODE
35/25	35/25	-1


FLASK, REACTION

H-1132

4mm GLASS OR TEFLON STOPCOCK

CAPACITY ml	GLASS CODE	TEFLON CODE
500	-1	-6
1000	-2	-7
1500	-3	-8
2000	-4	-9
3000	-5	-10






H-1141 KETTLE, REACTION

WITHOUT CONSTRICTION AT TOP, TO FACILITATE INTRODUCTION AND REMOVAL OF MATERIAL IN REACTIONS INVOLVING ORGANIC PRODUCTS, AND ALLOWS EASE OF CLEANING. THICK WALLED CONSTRUCTION TO PROVIDE MAX. RESISTANCE TO MECHANICAL SHOCK. COVERS HAVE ONE OPENING IN CENTER AND THREE EQUALLY SPACED OPENINGS NEAR OUTSIDE EDGE. OPENINGS GROUND TO TAKE INNER JOINTS. COVERS HAVE SMOOTHLY GROUND FLANGES FOR TIGHT SEAL. OUTER OPENINGS ARE 24/40 JOINTS

500-4000ml

CAPACITY ml	APPROX O.D. BOTTOM, IN'S	APPROX. HEIGHT IN'S	CENTER JOINT
500	3-3/4	8-1/8	24/40
1000	4-1/4	8-5/8	24/40
2000	5-1/2	9-1/4	34/45
3000	5-1/2	12-1/4	34/45
4000	5-1/2	15-3/8	34/45
5000	5-7/8	13-1/4	34/45



H-1142

CUSTOM CRAFTED
500-5000ml

CAPACITY ml	COMPLETE CODE	BOTTOM CODE	COVER CODE
500	-1	-7	-13
1000	-2	-8	-14
2000	-3	-9	-15
3000	-4	-10	-16
4000	-5	-11	-17
5000	-6	-12	-18

H-1143 CLAMP, REACTION CLAMP

COMPLETE WITH SPRINGS AND CLAMPS THAT FIT UNDER THE FLANGE OF THE BOTTOM OF THE SETUP.
FOR USE WITH THE ABOVE REACTION KETTLE.




KETTLE CAPACITY ml	CLAMP CODE
500	-1
1000	-1
2000	-2
3000	-2
4000	-2

FLASK, VOLUMETRIC, PLASTIC SNAP-CAP STOPPER H-1151

CALIBRATED TO CONTAIN, WITH MARKING SPOT.
 OPEN END OF NECK HAS BEEN DESIGNED TO FIT
 PROPERLY WITH THE PLASTIC SNAP-CAP WHICH
 IS SUPPLIED WITH THE FLASK. ENLARGED TOP
 OF CAP TO PROTECT NECK OF FLASK IF TIPPED
 OVER.

CAPACITY ml	TOLERANCE ml	PLASTIC CAP NO.	APPROX HT. mm	SHELF PACK	CASE PACK
10	0.02	1	82	2	18
25	0.03	1	110	2	18
50	0.05	2	133	2	12
100	0.08	3	162	2	24
200	0.10	4	215	2	24
250	0.12	4	228	2	24
500	0.20	5	250	1	12
1000	0.30	6	315	1	6
2000	0.50	8	378	1	4



CAPACITY ml	SHELF PK. CODE	CASE PK. CODE
10	-1	-10
25	-2	-11
50	-3	-12
100	-4	-13
200	-5	-14
250	-6	-15
500	-7	-16
1000	-8	-17
2000	-9	-18

FLASK


FLASK

FLASK

FLASK


H-1161 FLASK, VOLUMETRIC

CALIBRATED TO CONTAIN. WITH STOPPER.
 MARKING SPOT ON 10ml AND LARGER SIZES.
 1ml AND 2ml SIZES ARE TEST TUBE SHAPED,
 ALL OTHERS ARE CONVENTIONAL FLASK SHAPED.



CAPACITY ml	TOLERANCE ml	STOPPER SIZE	APPROX. HT. mm.	SHELF PACK	CASE PACK
1	0.02	9	78	2	18
2	0.02	9	103	2	18
5	0.02	9	88	2	12
10	0.02	9	100	2	12
15	0.03	9	103	2	12
25	0.03	9	127	2	12
50	0.05	9	150	2	12
100	0.08	13	180	2	12
200	0.10	16	238	2	12
250	0.12	16	250	2	12
500	0.20	19	275	1	12
1000	0.30	22	343	1	6
2000	0.50	27	409	1	4

CAPACITY ml	CASE PK. CODE	SHELF PK. CODE
1	-1	-14
2	-2	-15
5	-3	-16
10	-4	-17
15	-5	-18
25	-6	-19
50	-7	-20
100	-8	-21
200	-9	-22
250	-10	-23
500	-11	-24
1000	-12	-25
2000	-13	-26



H-1162 FLASK, SAYBOLT

CALIBRATED TO CONTAIN 60ml.