

----- BURET -----

----- BURET -----

----- BURET -----

----- BURET -----

BURET, CLASS A, STRAIGHT TYPE

H-251

GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
10	.05	-1	-5
25	0.1	-2	-6
50	0.1	-3	-7
100	0.2	-4	-8



----- BURET, STRAIGHT TYPE

H-252

3-WAY GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
10	.05	-1	-5
25	0.1	-2	-6
50	0.1	-3	-7
100	0.2	-4	-8



----- BURET, STRAIGHT TYPE, DISPENSING

H-253

WITH GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
250	1.0	-1	-4
500	5.0	-2	-5
1000	10.0	-3	-6



BURET

BURET

BURET

BURET



H-261

BURET, STRAIGHT TYPE

OVERFLOW CUP & 3-WAY GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
10	.05	-1	-5
25	0.1	-2	-6
50	0.1	-3	-7
100	0.2	-4	-8



H-262

BURET, AUTOMATIC, SELF ZEROING

USE UNDER PRESSURE OR VACUUM WHEN FILLING
GLASS OR TEFLON STOPCOCK

CAPACITY ml	GLASS CODE	TEFLON CODE
10	-1	-5
25	-2	-6
50	-3	-7
100	-4	-8



H-263

BURET, STRAIGHT TYPE

2mm GLASS OR TEFLON STOPCOCK,
12/2 BALL JOINT FOR REPLACEABLE TIPS

CAPACITY ml	GLASS CODE	TEFLON CODE
10	-1	-5
25	-2	-6
50	-3	-7
100	-4	-8

BURET

BURET


BURET

BURET

BURET TIP

H-271

REPLACEABLE TIPS FOR H-263



BURET, STRAIGHT TYPE, MICRO, CLASS A

H-272

GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
5	.01	-1	-3
10	.2	-2	-4



BURET, THREE WAY, MICRO, CLASS A

H-273

GLASS OR TEFLON STOPCOCK

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
5	.01	-1	-3
10	.2	-2	-4





BURET, AUTOMATIC

H-274

PRESSURE FILLED THROUGH TUBE
EXTENDING INTO BOTTLE

CAPACITY ml	CODE
10	-1
25	-2
50	-3






H-281

BURET, AUTOMATIC

2mm GLASS OR TEFLON STOPCOCK
GRADUATED IN 0.1ml DIVISIONS


CAPACITY ml	GLASS CODE	TEFLON CODE
10	-1	-4
25	-2	-5
50	-3	-6



H-282

BURET, AUTOMATIC, STRAIGHT TEFLON STOPCOCK

CAPACITY ml	BOTTLE OZ	BURET CODE	BOTTLE CODE	COMPLETE CODE
10	16	-1	-4	-7
25	16	-2	-5	-8
50	32	-3	-6	-9



H-283

BURET, AUTOMATIC, THREE-WAY STOPCOCK

2mm BORE STOPCOCK ENABLES BURET TO
BE EMPTIED OR FILLED AND PROVIDES
FOR RETURN OF OVERFLOW LIQUID TO
RESERVOIR BOTTLE.

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
2	.02	-1	-7
5	.05	-2	-8
10	.05	-3	-9
25	0.1	-4	-10
50	0.1	-5	-11
100	0.2	-6	-12

BURET

BURET

BURET

BURET

BURET, AUTOMATIC, AMBERIZED

H-291

2mm BORE STOPCOCK ENABLES BURET TO BE
EMPTIED OR FILLED AND PROVIDES FOR
RETURN OF OVERFLOW LIQUID TO RESERVOIR
BOTTLE


CAPACITY ml	BOTTLE ml	BURET		COMPLETE	
		GLASS CODE	TEFLON CODE	GLASS CODE	TEFLON CODE
2	1000	-1	-7	-13	-19
5	1000	-2	-8	-14	-20
10	1000	-3	-9	-15	-21
25	1000	-4	-10	-16	-22
50	2000	-5	-11	-17	-23
100	4000	-6	-12	-18	-24



BURET, AUTOMATIC, ALKALI TYPE, S/T JOINT

H-292

CAPACITY ml	DIVISION ml	GLASS CODE	TEFLON CODE
5	.05	-1	-6
10	.05	-2	-7
25	0.1	-3	-8
50	0.1	-4	-9
100	0.2	-5	-10



RUBBER BULB

H-293

USE WITH AUTOMATIC BURET ASSEMBLIES



BURET

BURET

BURET

BURET

H-301

BURET, AUTOMATIC, CLASS A

THREE WAY TEFLON STOPCOCK



CAPACITY ml	DIVISION ml	RESERVOIR ml	CODE
2	.01	500	-1
5	.01	1000	-2
10	.01	1000	-3
10	.05	1000	-4
25	0.1	2000	-5
50	0.1	2000	-6